



Aaeon - USD Sales Price List

Jampel

Effective Date: 16/11/2009

ATTENZIONE:

**I PREZZI ESPOSTI IN USD SI INTENDONO IVA ESCLUSA
E SONO RISERVATI AGLI UTILIZZATORI PROFESSIONALI
(INTEGRATORI & INSTALLATORI DI SISTEMI,
COSTRUTTORI DI APPARATI CHE UTILIZZANO IN SERIE
QUESTI DISPOSITIVI), GIA' REGISTRATI COME CLIENTI
E PER ACQUISTI SOPRA I 500 EURO**

**NON SONO VALIDI PER I PRIVATI
E GLI UTENTI FINALI**

WARNING:

**THE ATTACHED USD PRICES ARE VAT EXCLUDED AND THEY ARE
GRANTED TO PROFESSIONAL USERS (SYSTEM INTEGRATORS
& SYSTEM FITTERS; MANUFACTURING COMPANIES
WHICH ARE STRONG USERS OF THESE DEVICES),
RECORDED AS JAMPEL RUNNING CUSTOMERS AND FOR
PURCHASES MORE THAN EURO 500**

**SAME PRICES ARE NOT APPLICABLE TO
PRIVATE PEOPLE AND FINAL USERS**

AAEON

Q4 ISD Price List (effective 02th Nov., 2009)

MODEL	DESCRIPTION	RSP: USD
BP-208SI-V60	Wall Mount ISA 8-Slot Backplane.8 ISA.Single Segment.AT.Ver. V6.0	71
BP-214SI-V61	Rack Mount ISA 14-Slot Backplane.14 ISA.Single.AT.Ver 6.1	80
BP-214SS-P4-V11	Rack Mount PISA 14-Slot Backplane.4 PCI/8 ISA.Single Segment.AT.Ver1.1	102
PW-H200-A-00	SPS.ATX 1U(20.5cm).Active PFC.200W.Auto 115-230V	102
PW-L460-A-00	SPS.ATX 3U(18cm).460W.Active PFC.Auto 90-240V	153
TF-AEC-206-B	Wallmount 6-Slot Chassis Bare.for 1U Power(20.5cm).PS_SW(AT/ATX).Black	285
TF-AMC-262-W	Wallmount 6-Slot Chassis Bare.for PS2 Power.PS_SW(ATX).White	291
TF-AMC-263-W	Wallmount 6-Slot Chassis Bare.6slot backplane.for 1U ATX Power.White	295
TF-AMC-280B-W	Wallmount 8-Slot Chassis Bare.for PS2 Power.PS_SW(ATX).White	282
TF-AMC-280M-W	Wallmount Chassis Bare.ATX/Micro ATX MB.for PS2 Power. PS_SW(ATX). Color:White	282
TF-ARC-620-W	Rack Mount 2U Chassis Bare.for 6-Slot backplane.Power PS2 PS_SW(ATX).White	298
TF-ARC-625-B	Rack Mount 2U Chassis Bare.for 6-Slot backplane.PS2 Power.PS_SW(ATX).Black	271
TF-ARC-635-B	Rackmount 3U Chassis.7slots.backplane.1U PSU.Black	416
TF-ARC-640-B	Rack Mount 4U Chassis Bare.for 14-Slot Backplane.Power PS2 .PS_SW(ATX).Black	282
TF-ARC-640M-W	Rack Mount 4U Chassis Bare.for Motherboard.Power PS2 .PS_SW(ATX).White	280
TF-ARC-640-W	Rack Mount 4U Chassis Bare.for 14-Slot Backplane.Power PS2 .PS_SW(ATX).White	280
TF-ARC-645-B	Rack Mount 4U Chassis Bare.for 14-Slot backplane.PS2 Power.PS_SW(ATX).Black	264
TF-ARC-645M-B	Rack Mount 4U Chassis Bare.for Motherboard.PS2 Power.PS_SW(ATX).Black	275
TF-BP-204SI-A13	Wall Mount. ISA.4-Slot Backplane.4 ISA.Single Segment.AT Power.Rev.A1.3	25
TF-BP-204SP-P3-A11	Wall Mount Backplane.PCI.4 slot.3PCI.Single Segment.AT/ATX power.Rev.A1.1	33
TF-BP-204SP-P3-A11-01	Wall Mount Backplane.PCI.4 slot.3PCI.Single Segment.AT/ATX power.Rev.A1.1.Bulk Pack	33
TF-BP-204SS-P1-A11	Wall Mount.PISA.4-Slot Backplane.1 PCI.2 ISA.Single Segment.AT power connector.Rev.A1.1	25
TF-BP-204SS-P2-A10	Wall Mount Backplane.PCISA.4 slot.2PCI.1ISA.Single Segment.AT Power.Rev.A1.0	49
TF-BP-204VP-P3-A10	Rack Mount Backplane.PCI.4 slot.3PCI.Single Segment.ATX Power.Rev.A1.0	36
TF-BP-205SP-P4-A12	Wall Mount.PCI.5slot Backplane.4PCI.Single Segment.ATX.Rev.A1.0	33
TF-BP-205SP-P4-A12-01	Wall Mount.PCI.5slot Backplane.4PCI.Single Segment.ATX.Rev.A1.0.Bulk Pack	33
TF-BP-205SP-P4-A12-02	Wall Mount.PCI.5slot Backplane.4PCI.Single Segment.upside ATX connector.Rev.A1.0.Bulk Pack	33
TF-BP-206SG-P2-A10	Wall Mount.PICMG.6 Slot Backplane.2PCI.3ISA.Single Segment.ATX.Rev.A1.0.FOR AMC-263	53
TF-BP-206SG-P3-A10	Wall Mount.PICMG.6 Slot Backplane.3 PCI.3 ISA.Single Segment.ATX.Rev.A1.0	56
TF-BP-206SG-P4-A11	Wall Mount Backplane.PICMG.6 slot.4PCI.2ISA.Single Segment.ATX power.Rev.A1.1	49
TF-BP-206SG-P4-A11-01	Wall Mount Backplane.PICMG.6 slot.4PCI.2ISA.Single Segment.ATX power.Rev.A1.1.Bulk Pack	49
TF-BP-206SH-P3-A10	Wallmount Backplane.PICMG1.3.6slot.3*PCI.2*PCI-E.Single Segment.ATX.Rev.A1.0	85
TF-BP-206SI-A11	Wall Mount. ISA.6-slot backplane.AT/ATX power.Rev.A1.1	64
TF-BP-206SI-A11-01	Wall Mount. ISA.6-slot backplane.AT/ATX power.Rev.A1.1.Bulk Pack	69

TF-BP-206SP-P4-A10	Wallmount.PCI.6Slot Backplane.4PCI.Single Segment.ATX.Rev.A1.0	49
TF-BP-206SP-P4-A10-01	Wallmount.PCI.6Slot Backplane.4PCI.Single Segment.ATX.Rev.A1.0.Bulk Pack	47
TF-BP-206SS-P4-A11	Wall Mount.PCISA.6-Slot.4 PCI.3 PCISA.Single Segment.ATX.Rev.A1.1	51
TF-BP-206VG-P2-A10	Rack Mount backplane.PICMG.6 Slot.2 PCI.3 ISA.Single Segment.ATX.Rev.A1.0	40
TF-BP-206VG-P2-A10-01	Rack Mount backplane.PICMG.6 Slot.2 PCI.3 ISA.Single Segment.ATX.Rev.A1.0.Bulk Pack	40
TF-BP-206VG-P3-A11	Rack Mount.PICMG.6 Slot Backplane.3 PCI.Single Segment.AT/ATX.Rev.A1.1	40
TF-BP-206VG-P3-A11-01	Rack Mount.PICMG.6 Slot Backplane.3 PCI.Single Segment.AT/ATX.Rev.A1.1.Bulk	40
TF-BP-206VG-P4-A11	Rack Mount.PICMG.6 Slot Backplane.4 PCI.Single Segment.AT/ATX.Rev.A1.1	40
TF-BP-206VG-P4-A11-01	Rack Mount.PICMG.6 Slot Backplane.4 PCI.Single Segment.AT/ATX.Rev.A1.1.Bulk	40
TF-BP-206VH-E4-A10	Rack Mount. PICMG1. 3. 6 Slot Backplane. 4*PCI-E. Single Segment. ATX. Rev. A1. 0	116
TF-BP-206VH-E4-A10-01	Rack Mount.PICMG1.3.6 Slot Backplane.4*PCI-E.Single Segment.ATX.Rev.A1.0.Bulk Pack	116
TF-BP-206VH-P4-A10	Rack Mount. PICMG1. 3. 6 Slot Backplane. 4 PCI. Single Segment. ATX. Rev. A1. 0	73
TF-BP-206VH-P4-A10-01	Rack Mount.PICMG1.3.6 Slot Backplane.4 PCI.Single Segment.ATX.Rev.A1.0.Bulk Pack	73
TF-BP-208RH-P4E3-A10	Rackmount R Side.PICMG1.3 8-Slot BP.4*PCI.3*PCI-E.Single Segment.ATX.Rev.A1.0	129
TF-BP-208RH-P4E3-A10-01	Rackmount R Side.PICMG1.3 8-Slot BP.4*PCI.3*PCI-E.Single Segment.ATX.Rev.A1.0.Bulk Pack	129
TF-BP-208SG-P4-A11	Wall Mount Backplane.PICMG.8 slot.4PCI.2ISA.Single Segment.AT/ATX power.Rev.A1.1	71
TF-BP-208SG-P4-A11-01	Wallmount Backplane.PICMG.8 slot.4PCI.2ISA.Single Segment.AT/ATX power.Rev.A1.1.Bulk Pack	65
TF-BP-208SG-P7-A11	Wall Mount Backplane.PICMG.8-Slot.7 PCI.Single Segment.AT/ATX.Rev.A1.1	100
TF-BP-208SG-P7-A11-01	Wall Mount Backplane.PICMG.8-Slot.7 PCI.Single Segment.AT/ATX.Rev.A1.1.Bulk Pack	96
TF-BP-208SP-P7-A10	Wall Mount.PCI.8 Slot Backplane.7PCI.Single Segment.ATX.Rev.A1.0	82
TF-BP-210SP-P9-A10	Rack Mount Backplane.PCI.10 slot.9PCI.Single Segment.ATX power.Rev.A1.0	87
TF-BP-213RG-P4-A11	Rackmount Right Side Backplane.PICMG.13slot.4PCI.7ISA.Single Segment.AT/ATX.Rev.A1.1	93
TF-BP-213RG-P4-A11-01	Rackmount R Side.PICMG.13slot Backplane.4PCI.7ISA.Single Segment.AT/ATX.Rev.A1.1.Bulk	89
TF-BP-214SG-P12-A11	Rackmount Backplane.PICMG.14 slot.12PCI.1ISA.Single Segment.AT/ATX power.Rev.A1.1	122
TF-BP-214SG-P12-A11-01	Rackmount Backplane.PICMG.14slot.12PCI.1ISA.Single Segment.AT/ATX power.Rev.A1.1.Bulk	120
TF-BP-214SG-P4-A11	Rackmount Backplane.PICMG.14 slot.4PCI.8ISA.Single Segment.AT/ATX power.Rev.A1.1	89
TF-BP-214SG-P4-A11-01	Rackmount Backplane.PICMG.14slot.4PCI.8ISA.Single Segment.AT/ATX power.Rev.A1.1.Bulk Pack	85
TF-BP-214SG-P4E2-A11	Rackmount Backplane.PICMG.14slot.4PCI.3ISA.2*PCI-E x1.ATX power.Rev.A1.1	93
TF-BP-214SG-P7-A11	Rack Mount Backp.PICMG.14 Slot.7 PCI.5 ISA.Single Segment.AT/ATX.Rev.A1.2	129
TF-BP-214SG-P7-A11-01	Rack Mount Backp.PICMG.14 Slot.7 PCI.5 ISA.Single Segment.AT/ATX.Rev.A1.2.Bulk Pack	125
TF-BP-214SH-P3E2I6-A10	Rackmount BP. PICMG1. 3. 14-Slots. 3*PCI. 2*PCI-E. 6*ISA. Single Segment. AT/ATX. Rev. A1. 0	156
TF-BP-214SH-P3E2I6-A10-01	Rackmount BP.PICMG1.3.14-Slots.3*PCI.2*PCI-E.6*ISA.Single Segment.AT/ATX.Rev.A1.0.BulkPack	156
TF-BP-216QH-P4E8-A10	Rackmount.PICMG1.3 16-Slot BP.4*PCI.8*PCI-E.Quad Segment.AT/ATX.Rev.A1.0	233
TF-FSB-860B-A10-E2	Full-Size CPU card.Socket 478 for Pentium4.VGA.2 LAN.5 USB.CF.AC97.ATX.Rev.A1.0	298
TF-FSB-860B-A10-F	Full-Size CPU card.Socket 478 for Pentium4.VGA.1 LAN,1 GbE LAN.5 USB.CF.AC97.ATX.Rev.A1.0	313
TF-FSB-860B-A10-V	Full-Size CPU card.Socket 478 for Pentium4.VGA.5 USB.CF.AC97.ATX.Rev.A1.0	265

TF-FSB-860B-A10-VE	Full-Size CPU card.Socket 478 for Pentium4.VGA.1 LAN.5 USB.CF.AC97.ATX.Rev.A1.0	276
TF-FSB-860B-A10-VG	Full-Size CPU card.Socket 478 for Pentium4.VGA.1 GbE LAN.5 USB.CF.AC97.ATX.Rev.A1.0	298
TF-FSB-865G-B10-E2	Full-Size CPU card.Socket 478 for Pentium4.VGA.2LANs.7 USBs.CF.AC97.SATA.ATX.Rev.B1.0.	380
TF-FSB-865G-B10-F	Full-Size card.Pentium 4.VGA.LVDS.TV-Out.GbE LAN.7 USBs.CF.M-PCI.AC97.SATA.ATX.Rev.B1.0.	451
TF-FSB-865G-B10-G2	Full-Size CPU card.Socket 478 for Pentium4.VGA.2 GbE LAN.7 USBs.CF.AC97.SATA.ATX.Rev.B1.0.	402
TF-FSB-865G-B10-VE	Full-Size CPU card.Socket 478 for Pentium4.VGA.1 LAN.7 USBs.CF.AC97.SATA.ATX.Rev.B1.0.	345
TF-FSB-865G-B10-VG	Full-Size CPU card.Socket 478 for Pentium4.VGA.1 GbE LAN.7 USBs.CF.AC97.SATA.ATX.Rev.B1.0.	367
TF-FSB-866G-A11-E2	Full-Size PICMG CPU Card.Socket 775 Pentium 4.VGA.2*10/100M Ethernet.Rev.A1.1	447
TF-FSB-866G-A11-EG	Full-Size PICMG CPU Card.Socket 775 Pentium 4.VGA.1*10/100M 1*10/100/1000M.Rev.A1.1	458
TF-FSB-866G-A11-G2	Full-Size PICMG CPU Card.Socket 775 Pentium 4.VGA.2*Gigabit Ethernet.Rev.A1.1	473
TF-FSB-866G-A11-V	Full-Size PICMG CPU Card.Socket 775 Pentium 4.VGA.Rev.A1.1	418
TF-FSB-866G-A11-VE	Full-Size PICMG CPU Card.Socket 775 Pentium 4.VGA.10/100M Ethernet.Rev.A1.1	433
TF-FSB-866G-A11-VG	Full-Size PICMG CPU Card.Socket 775 Pentium 4.VGA.Gigabit Ethernet.Rev.A1.1	444
TF-FSB-868G-B10-E2	Full-Size CPU Card.Core 2 Duo LGA775 CPU.VGA.2*10/100 LAN.7*USB.CF.AC97.4*SATA.Rev.B1.0	469
TF-FSB-868G-B10-G2	Full-Size CPU Card.Core 2 Duo LGA775 CPU.VGA.2* Gbe LAN.7*USB.CF.AC97.4*SATA.ATX.Rev.B1.0	489
TF-FSB-868G-B10-RF	Full-Size Card.Core 2 Duo LGA775.VGA.LVDS.2*GbE LAN.RAID.7USB.CF.AC97.4SATA.ATX.Rev.B1.0	522
TF-FSB-868G-B10-VE	Full-Size CPU Card.Core 2 Duo LGA775 CPU.VGA.1*10/100 LAN.7*USB.CF.AC97.4*SATA.Rev.B1.0	455
TF-FSB-868G-B10-VG	Full-Size CPU Card.Core 2 Duo LGA775 CPU.VGA.1* Gbe LAN.7*USB.CF.AC97.4*SATA.ATX.Rev.B1.0	465
TF-FSB-945G-A10-G2	Full-size PICMG1.0 CPU Card.LGA775 Core 2 Duo CPUs.VGA.2*Gbe LAN.7USB.Audio.4SAT.Rev.A1.0	398
TF-FSB-945G-A10-VE	Full-size PICMG1.0 CPU Card.LGA775 Core 2 Duo CPUs.VGA.1*10/100 LAN.7USB.4SATA.Rev.A1.0	358
TF-FSB-945G-A10-VG	Full-size PICMG1.0 CPU Card.LGA775 Core 2 Duo CPUs.VGA.1 x Gbe LAN.Audio.7 USB.Rev.A1.0	365
TF-FSB-960H-A11-EG	Full-Size PICMG1.3 SBC.Core 2 Duo CPU.VGA.Gbe10/100 LAN.7USB.CF.AC97.SATAII.ATX.Rev.A1.1	529
TF-FSB-960H-A11-G2	Full-Size PICMG1.3 SBC.Core 2 Duo CPU.VGA.2* Gbe LAN.7USB.CF.AC97.SATAII.ATX.Rev.A1.1	536
TF-FWS-2150E5-A60-A10-00	Firewall Platform.FWB-2150(VIA CN700+VT8237R+).5LAN.60W AC/DC power adaptor.Blue	500
TF-FWS-7300E6-H15-A10-00	Firewall Platform.C-M 600MHz onboard.6GbE LANs.2PCI Riser.1U ATX 150 PSU.Blue.Rev.A1.0	1044
TF-FWS-7300E6-H15-A10-01	Firewall Platform.Socket 479 P-M CPU.6GbE LANs.2PCI Riser.1U ATX 150 PSU.Blue.Rev.A1.0	1038
TF-FWS-7600S2-H30-A10	Firewall Platform.3010+ICH7R.2cooper LAN Module.PCI Riser Card.1U ATX 300W PSU.Blue	1142
TF-FWS-810W6-H25-A11	Firewall Platform.FWB-810(865GV+ICH5).6 Giga LAN port.1U ATX 250W Power.Blue.Rev.A1.1	1102
TF-FWS-816W8-H25-A10	Firewall Platform.FWB-816(945G+ICH7R).8LAN Ports/6 Giga LAN.1U ATX 250W Power.Blue	1200
TF-HSB-440I-A10	Half-size CPU Card.STPC Atlas.TFT LCD,64MB SDRAM.LAN.4 COM.CF.DOC.Rev.A1.0	280
TF-HSB-440I-A10-01	Half-size CPU Card.STPC Atlas.TFT LCD.64MB SDRAM.4 COM.DOC.Rev.A1.0	256
TF-HSB-440I-A10-02	Half-size CPU Card.STPC Atlas.TFT LCD.64MB SDRAM.4 COMs.DOC.Rev.A1.0.Bulk Pack	256
TF-HSB-668I-A11-E2	Half-size ISA SBC.VIA Mark 533MHZ CPU.128MB SDRAM.VGA.2 LANs.3 USB.LVDS.DOC2000.Rev.A1.1	396
TF-HSB-668I-A11-EG	Half-size ISA SBC.VIA Mark 533MHZ CPU.128MB RAM.VGA.1LAN.1GbE.3USB.LVDS.DOC2000.Rev.A1.1	409
TF-HSB-668I-A11-V	Half-size ISA SBC.VIA Mark 533MHZ CPU.128MB SDRAM.VGA.3 USB.LVDS.DOC2000.Rev.A1.1	380

TF-HSB-668I-A11-VE	Half-size ISA SBC.VIA Mark 533MHZ CPU.128MB SDRAM.VGA.1 LAN.3 USB.LVDS.DOC2000.Rev.A1.1	389
TF-HSB-668I-A11-VG	Half-size ISA SBC.VIA Mark 533MHZ CPU.128MB SDRAM.VGA.Gbe LAN.3 USB.LVDS.DOC2000.Rev.A1.1	400
TF-HSB-800I-A10-VE	Half-size ISA SBC.AMD LX800.128MB RAM.VGA.1LAN.4USB.CF.AC97.PC104.DIO.AT.Rev.A1.0	380
TF-HSB-800I-A10-VG	Half-size ISA SBC.AMD LX800.128MB RAM.VGA.1 Gbe LAN.4USB.CF.AC97.PC104.DIO.AT.Rev.A1.0	387
TF-HSB-811P-A11-PE	Half-Size PCI CPU Card.Socket 479.VGA.1 LAN.5 USB.CF.M-PCI.LVDS.AC97.ATX.Rev.A1.1	316
TF-HSB-811P-A11-V	Half-Size PCI CPU card.Celeron-M 600MHz.VGA.5 USB.CF.M-PCI.LVDS.AC97.ATX.Rev.A1.1	316
TF-HSB-811P-A11-VE	Half-Size PCI CPU card.Celeron-M 600MHz.VGA.1 LAN.5 USB.CF.M-PCI.LVDS.AC97.ATX.Rev.A1.1	331
TF-HSB-811P-A11-VEC	Half-Size PCI CPU Card.SOCKET 479.VGA.LAN.USB*5.CF.M-PCI.LVDS.ATX.Rev.A1.1	393
TF-HSB-811P-A11-VG	Half-Size PCI CPU card.Celeron-M 600MHz.1 Gbe LAN.5 USB.CF.M-PCI.LVDS.AC97.ATX.Rev.A1.1	349
TF-HSB-811P-A11-VGC	Half-Size PCI SBC.SOCKET 479.w/82855GME.VGA.Gbe LAN.USB*5.CF.M-PCI.LVDS.ATX.Rev.A1.1	407
TF-HSB-813S-A11-E2	Half-size PCISA Card.Socket479.P-M.VGA.LVDS.2*LAN.5USB.CF.Mini PCI.AC97.ATX.Rev.A1.1	411
TF-HSB-813S-A11-EG	Half-size PCISA Card.Socket479.P-M.VGA.LVDS.1LAN.1Gbe.5USB.CF.Mini PCI.AC97.ATX.Rev.A1.1	422
TF-HSB-813S-A11-VE	Half-size PCISA Card.Socket479.P-M.VGA.LVDS.1 LAN.5USB.CF.Mini PCI.AC97.ATX.Rev.A1.1	402
TF-HSB-813S-A11-VG	Half-size PCISA Card.Socket479.P-M.VGA.LVDS.Giga LAN.5USB.CF.Mini PCI.AC97.ATX.Rev.A1.1	413
TF-HSB-910I-A10-G2	Half-size ISA SBC.C-M 600MHz CPU.VGA.LVDS.2*Gbe LAN. 5USB.CF.AC97.DIO.AT.Rev.A1.0	489
TF-HSB-910I-A10-G2-01	Half-size ISA SBC.C-M 600MHz CPU.VGA.LVDS.2*Gbe LAN.5USB.CF.AC97.DIO.AT.Rev.A1.0.Bulk pack	489
TF-HSB-910I-A10-VG	Half-size ISA SBC.C-M 600MHz CPU.VGA.LVDS.1*Gbe LAN.5USB.CF.AC97.DIO.AT.Rev.A1.0	467
TF-HSB-945P-A10-G2	Half Size PCI SBC.Intel N270.VGA.DVI.2Gbe LANs.5USB.4COM.2SATA.CF.Rev.A1.0	424
TF-HSB-945P-A10-VE	Half Size PCI SBC.Intel N270.VGA.DVI.LAN.5USB.4COM.2SATA.CF.Rev.A1.0	396
TF-HSB-965P-A10-G2	Half-Size PCI SBC.C2D CPU.VGA.2Gbe LAN.7 USB.CF.LVDS.DIO.SATA.ATX.Rev.A1.0	487
TF-HSB-965P-A10-VG	Half-Size PCI SBC.C2D CPU.VGA.1Gbe LAN.7 USB.CF.LVDS.DIO.SATA.ATX.Rev.A1.0	460
TF-IMBA-880-B10-VE	Industrial Motherboard.Socket 775 Pentium 4.CPU.VGA.1* 10/100 LAN. Rev.B1.0	445
TF-IMBA-910-A10-G2	Industrial ATX M/B.LGA775 Core 2 Duo CPU.VGA.2*Giga LAN.CF.1*PCI-EX4.4*SATA.RAID.Rev.A1.0	513
TF-IMBA-910-A10-VE	Industrial ATX M/B.LGA775 Core 2 Duo CPU.VGA.10/100 LAN.CF.1*PCI-EX4.2*SATA.Rev.A1.0	460
TF-IMBI-Q45-A10-G2	Mini-ITX.LGA775 Quad Core CPU.VGA.DVI.2*Giga.LANs.Audio.6USB.3SATA.Rev.A1.0	445
TF-IMBM-700-A10-EG	Industrial uATX M/B.VIA C7 1.0GHz onboard.VGA.1*Gbe1*10/100 LANs.CF.3PCI.2ISA.Rev.A1.0	420
TF-IMBM-935-A10-G2	Industrial uATX M/B.LGA775 Core 2 Quad CPU.VGA.2*Giga LAN.CF.1PCI-E x4.RAID.Rev.A1.0	505
TF-IMBM-935-A10-VE	Industrial uATX M/B.LGA775 Core 2 Quad CPU.VGA.1* 10/100 LAN.CF.1PCI-E x4.RAID.Rev.A1.0	495
TF-PER-C101-A10-01	Ethernet Board.DUAL PCI-E Giga LAN.Entry-Level.Rev.A1.0	111
TF-PER-C101-A10-02	Ethernet Board.DUAL PCI-E Giga LAN.Work Station.Rev.A1.0	133
TF-PER-C101-A10-03	Ethernet Board.DUAL PCI-E Giga LAN.Server-Enter Level.Rev.A1.0	133
TF-PER-C101-A10-04	Ethernet Board.DUAL PCI-E Giga LAN.Server-Work station.Rev.A1.0	142
TF-PER-C102-A10-01	Dual PCI Express.Ethernet Board.DUAL PCI-E 10/100 LAN.Entry Level.Rev.A1.0	60
TF-PER-C102-A10-02	Dual PCI Express.Ethernet Board.DUAL PCI-E Giga LAN.Entry Level.Rev.A1.0	84
TF-PER-C102-A10-03	Dual PCI Express.Ethernet Board.DUAL PCI-E Giga LAN.Work Station.Rev.A1.0	93

TF-PER-C102-A10-04	Dual PCI Express.Ethernet Board.DUAL PCI-E 10/100 LAN.Entry Level.w/o COM.Rev.A1.0	49
TF-PER-C31L-A10-01	LAN Module.PCI-E X4 X1 interface.PCI-E Giga LAN.SFPX2+RJ45X2.Rev.A1.0	284
TF-PER-C31L-A10-02	LAN Module.PCI-E X4 interface.PCI-E Giga LAN.SFPX2.Rev.A1.0	205
TF-PER-C33L-A10-01	LAN Module.PCI-E X4 interface.4*Intel 82574 PCI-E Giga LAN.Rev.A1.0	262
TF-PER-C33L-A10-02	LAN Module.PCI-E X4 X1 interface.4*Intel 82574 PCI-E Giga LAN.Rev.A1.0	191
TF-PER-U00A	AC97 Audio Daughter Board.Rev.A1.0	35
TF-PER-U01H-A10	HD Codec Audio Daughter Board.Rev.A1.0	38
TF-PER-V100-A10-01	AGP DVO Card.LVDS+TV-out.Rev.A1.0	58
TF-PER-V100-A10-02	AGP DVO Card.DVI+TV-out.Rev.A1.0	49
TF-PW-F180-A-00	SPS.Flex ATX.Active PFC.180W.Auto 100-240VAC.150*81.5*40.5(mm)	80
TF-PW-F200-A-00	SPS.Flex ATX.Active PFC.200W.100-240V.150*81.5*40.5(mm)	95
TF-PW-H150-A-00	SPS.ATX 1U(18.5cm).Active PFC.150W.Auto 115-230V.for RoHS	73
TF-PW-H200-A-00	SPS.ATX 1U(20.5cm).Active PFC.200W.Auto 115-230V	102
TF-PW-H250-A-01	SPS.ATX.1U(20.5cm).250W.100-240V.Active PFC.for RoHS	138
TF-PW-H300-A-00	SPS.ATX.1U(20.5cm).300W.90-264V.Active PFC. FOR RoHS	173
TF-PW-I150-A-00	SPS.150W.Auto 115-230V.AT 1U(19cm).Non PFC	100
TF-PW-P400-A-00	SPS.AT/PS2.400W.90-264V.Non-PFC.FOR WD	162
TF-PW-R460-A-00	SPS.ATX Mini REDUNDANT*2.460W.Auto 100-240V.FOR RoHS	771
TF-PW-S300-S-00	SPS.ATX PS2.300W.Switch 115/230V.Passive PFC.for RoHS	71
TF-PW-X300-S-00	SPS.ATX.300W.115-230V.Non PFC.for RoHS	73
TF-PW-Z350-A-00	SPS.ATX.350W.100-240V.AC.with PFC.for RoHS	147
TF-PW-Z350-A-01	SPS.ATX.350W.100-240V.Active with PFC.for ROHS	153
TF-PW-Z400-A-01	SPS.ATX.PS2.400W.100-240V.Active PFC.for RoHS	165
1700060150	(TF)Cable.6P 2.54mm Housing W/O NOSE.6P MDM-6S KBMS.15cm	7
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KBMouse	7
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	7
170110030A	(TF)Flat Cable.9P DB9P MALE.10P 2.00mm Pitch IDC.30cm.w/o Fold, w/ Bracket PCI-675F	4
1701160302	(TF)Flat Cable.15P D-SUB(F).16P 2.54mm IDC W/nose.30cm.Rainbow	7
1701260307	(TF)Flat Cable.9P/DB9P MALE25P DB25P FEMALE.10P 2mm26P 2mm/IDC NO FOLD.30cm.W/BKT.3I`3.A002-015	7
1701260450	(TF)Flat Cable.9P/DB9P MALE25P DB25P FEMALE.10P 2mm26P 2mm/IDC NO FOLD.45cm.3I`3	7
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	7
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	7
1701400702	(TF)Flat Cable.40P ATA-100 2.54mm.BULE/GRAY/BLACK.70cm.for HDD	9
1701400800	Flat Cable.40P-40P-40P.(UL:20674,15 cm + 65 cm).80 cm.for ATA100	7
1701400801	Flat Cable.40P-40P-40P.(UL:2678,15 cm + 65 cm).80 cm.for ATA66	7
1701400802	Flat Cable.40P-40P-40P.(UL:2651,15 cm + 65 cm).80 cm.for ATA33	7
1702030301	(TF)Power Cable.3P 2.54mm Housing.to PIN TERMINAL*2(big).30cm	4
1702030302	(TF)Power Cable.3P 2.54mm Housing.to PIN TERMINAL*2(small).30cm	4
1702031802	(TF)POWER CORD.3P-125V 10A 180D.1.8M.USA.FANJET.YP12/YC-12	4
1702031803	(TF)POWER CORD.3P-250V 10A 180D.1.8M.VDE.FAN-JET.YP-22/YC-12	4

1702043000	(TF)POWER CABLE.MINI FIT4.14-4P(F).MINI FIT4.14-4P(M).300mm	4
1702150100	(TF)Power Cable.4P Power Conn(M).15P SATA Conn(F).10cm	4
1702200500	(TF)Power Cable.ATX Conn.20P(F) to AT Conn.12P.PIN TERMINAL*2(big). 50cm	9
1703020104	(TF)Wire.2P 2.0mm Housing.2P 2.54mm Header(M).10cm	5
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	5
1703040101	(TF)Wire.2P 2.54mm Housing.4P 2.54mm Header(M).10cm	5
1703050500	(TF)Wire.5P 2.5mm Housing.5P 2.5mm Housing.50cm	5
1703060500	(TF)Wire.6P 2.0mm Housing.5P 2.54mm Housing.50cm	5
1703060502	(TF)Wire.3P 2.5mm Housing.6P 2.0mm Housing.50cm	5
1703100301	(TF)Wire.10P 2.0mm Housing.10P 2.0mm Housing.30cm	5
1703100302	(TF)Wire.10P 2.0mm Housing.10P 2.0mm Housing.30cm.(PIN 9 to stuff)	5
1709070780	(TF)SATA CABLE.7P Pitch 1.27mm.78cm	9
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	5
1759200007	CPU Cooler Fan.for Pentium3 1G.3P.12V.Two ball bearing.µáªL.D6009A610HB	15
1759200146	CPU Cooler Fan + Heat Sink.Pentium III.FC-PGA.3P.µØÄ .AKC501B201	7
1759200154	(TF)CPU Cooler Fan + Heat Sink.Socket 478.3P.12V.1U Low Profile..848X-6B	22
1759200156	(TF)CPU Cooler FAN + Heat Sink.3P 12V 60*60*23mm.for MPC-8890.L.D6012A610HB	16
1759200157	(TF)CPU Cooler FAN+Heat Sink.3P.5V.60*60*23mm for PCM-8200.C6012A6105LA	15
1759200162	(TF)CPU Cooler Fan.for LGA775 Pentium4 3.8G.3P.12V.Dual ball bearing.2U. LGA-775-91505	89
1759200165	(TF)CPU Cooler Fan.for Socket 478 Pentium4.3.2G.3P.12V.	44
1759200325	CPU Cooler.for Socket 370 ZIF.3P.12V.COOLER MASTER.DP5-5F11	9
1759200332	(TF)CPU Cooler Fan 1U.for Pentium4 3.06G.3P.12V.Dual ball bearing.	25
1759200335	(TF)CPU Cooler Fan+Heat Sink.FOR LGA775 Pentium4.3P.12V.COOLJAG.JAC72LC	62
1759202332	(TF)FAN 92mm*92mm*25mm.12VDC.0.24A.2 Ball Bearing.W/4P Power Supplier Header.SUNON.KD1209PTB1-13.(2).GN	7
1759202333	(TF)FAN.12cm*12cm*2.5cm.W/3P 2510 Cable 35cm.SUNON.KD1212PTB1-6A.B1823.F.GN	25
1759202334	FAN.6cm*6cm*1cm.W/3P 2510 Cable 100mm.SUNON.KD1206PFB1	7
1759268700	CPU Cooler Fan.for Pentium4 PSC3.4G.3P.12V.One ball bearing.äã¥ß±d.AK-687	25
1998666611	Removable Frame.for IDE 3.5 HDD.with AAEON logo	25
1998666612	Removable Frame.for IDE 3.5 HDD.with AAEON logo	25
1998666613	Removable Frame.for SATA 3.5 HDD.with AAEON logo	49
1998666614	Removable Frame.for SATA 3.5 HDD.with AAEON logo	49

Q4 PAA Price List (effective 02 NOV., 2009)

MODEL	DESCRIPTION	RSP USD
TF-ONYX-150DT-A1-1111	Fanless Medical Station.C-M 600MHz.15" 450 nits TFT.1P.DC.256MB RAM.Card Reader	2255
TF-ONYX-150DT-A3-1111	Fanless Medical Station.C-M 600MHz.15 450nits TFT.DC.256MB RAM.Cool gray 1C color	2255
TF-ONYX-150DTT-A1-1111	Fanless Medical Station.C-M 600MHz.15" 450 nits TFT.1P.DC.R-TS.256MB RAM.Card Reader	2364
TF-ONYX-150DTT-A3-1111	Fanless Medical Station.C-M 600MHz.15 450 nits TFT.DC.R-TS.256MB RAM.Cool gray 1C color	2364
TF-ONYX-170DT-A1-1010	Fanless Medical Station.ULV P-M 1.1GHz.17" 300nits TFT.DC24V.SATA HDD Bay	3727
TF-ONYX-170DT-A3-1010	Fanless Medical Station.ULV P-M 1.1GHz.17.DC.SATA HDD Bay.Cool gray 1C color	3727
TF-ONYX-170DTT-A1-1010	Fanless Medical Station.ULV P-M 1.1GHz.17" 300nits TFT.DC24V.R-TS.SATA HDD Bay	4000
TF-ONYX-170DTT-A3-1010	Fanless Medical Station.ULV P-M 1.1GHz.17.DC.R-TS.SATA HDD Bay.Cool gray 1C color	4000
TF-ONYX-190DT-A1-1011	Fanless Medical Station.ULV P-M 1.1GHz.19" 300nits TFT.DC24V.SATA HDD Bay	3909
TF-ONYX-190DT-A3-1011	Fanless Medical Station.ULV P-M 1.1GHz.19.DC24V.SATA HDD Bay.Cool gray 1C enclosure	3909
TF-ONYX-190DTT-A1-1011	Fanless Medical Station.ULV P-M 1.1GHz.19" 300nits TFT.DC24V.R-TS.SATA HDD Bay	4273
TF-ONYX-190DTT-A3-1011	Fanless Medical Station.ULV P-M 1.1GHz.19.DC24V.R-TS.SATA Bay.Cool gray 1C enclosure	4273
TF-ONYX-172DT-A1-1010	Medical Thin Client.C-M 1.5GHz.17 300nits LCD.Fanless.DC9-30V.1GB RAM	2455
TF-ONYX-172DT-A2-1010	MED Thin Client.LV P-M 1.4G.17.Fanless.DC 9-30V.1GB RAM	2636
TF-ONYX-172DTT-A1-1010	Medical Thin Client.C-M 1.5GHz.17 300nits LCD.Fanless.DC9-30V.R-TS.1GB RAM	2636
TF-ONYX-172DTT-A2-1010	MED Thin Client.LV P-M 1.4G.17.Fanless.DC 9-30V.R-TS.1GB RAM	2818
TF-ONYX-1722DT-A1-1010	Medical Thin Client.C-M 1.5GHz.17 300nits LCD.Fanless.DC9-30V.1GB RAM	2727
TF-ONYX-1722DTT-A1-1010	Medical Thin Client.C-M 1.5GHz.17 300nits LCD.Fanless.DC9-30V.R-TS.1GB RAM	2909
TF-ONYX-192DT-A1-1010	Medical Thin Client.C-M 1.5GHz.19 300nits LCD.Fanless.DC9-30V.1GB RAM	2636
TF-ONYX-192DT-A2-1010	MED Thin Client.LV P-M 1.4G.19.Fanless.DC 9-30V.1GB RAM	2818
TF-ONYX-192DTT-A1-1010	Medical Thin Client.C-M 1.5GHz.19 300nits LCD.Fanless.DC9-30V.R-TS.1GB RAM	2818
TF-ONYX-192DTT-A2-1010	MED Thin Client.LV P-M 1.4G.19.Fanless.DC 9-30V.R-TS.1GB RAM	2909
TF-ONYX-1922DT-A1-1010	Medical Thin Client.C-M 1.5GHz.19 300nits LCD.Fanless.DC9-30V.1GB RAM	2909
TF-ONYX-1922DTT-A1-1010	Medical Thin Client.C-M 1.5GHz.19 300nits LCD.Fanless.DC9-30V.R-TS.1GB RAM	3091
TF-ONYX-153DT-A1-1010	Smart Medical Station.P-M 1.6GHz.15" 450 nits TFT.1P.DC24V.1 Mini PCI	3273
TF-ONYX-153DT-A2-1010	Smart Medical Station.C-M 1.3GHz.15" 450 nits TFT.1P.DC24V.1 Mini PCI	3000
TF-ONYX-153DTT-A1-1010	Smart Medical Station.P-M 1.6GHz.15" 450 nits TFT.1P.DC24V.R-TS.1 Mini PCI	3545
TF-ONYX-153DTT-A2-1010	Smart Medical Station.C-M 1.3GHz.15" 450 nits TFT.1P.DC24V.R-TS.1 Mini PCI	3273
TF-ONYX-173DT-A1	Smart Medical Station.P-M 1.6GHz.17" 300nits TFT.1P.DC24V.Card Reader.1 Mini PCI	3727
TF-ONYX-173DT-A2	Smart Medical Station.C-M 1.3GHz.17" 300nits TFT.1P.DC24V.Card Reader.1 Mini PCI	3455
TF-ONYX-173DTT-A1	Smart Medical Station.P-M 1.6GHz.17" 300nits TFT.1P.DC24V.R-TS.Card Reader.1 Mini PCI	4000
TF-ONYX-173DTT-A2	Smart Medical Station.C-M 1.3GHz.17" 300nits TFT.1P.DC24V.R-TS.Card Reader.1 Mini PCI	3727
TF-ONYX-153HT-A1-1010	Smart Medical Station.P-M 1.6GHz.15" 450 nits TFT.1P.AC.1 Mini PCI	3273
TF-ONYX-153HT-A2-1010	Smart Medical Station.C-M 1.3GHz.15" 450 nits TFT.1P.AC.1 Mini PCI	3000

TF-ONYX-153HTT-A1-1010	Smart Medical Station.P-M 1.6GHz.15" 450 nits TFT.1P.AC.R-TS.1 Mini PCI	3545
TF-ONYX-153HTT-A2-1010	Smart Medical Station.C-M 1.3GHz.15" 450 nits TFT.1P.AC.R-TS.1 Mini PCI	3273
TF-ONYX-173HT-A1	Smart Medical Station.P-M 1.6GHz.17" 300nits TFT.1P.AC.Card Reader.1 Mini PCI	3727
TF-ONYX-173HT-A2	Smart Medical Station.C-M 1.3GHz.17" 300nits TFT.1P.AC.Card Reader.1 Mini PCI	3455
TF-ONYX-173HT-A3	Smart Medical Station.P-M 1.6GHz.17" 300nits TFT.1P.AC.Cool gray 1C enclosure	3727
TF-ONYX-173HTT-A1	Smart Medical Station.P-M 1.6GHz.17" 300nits TFT.1P.AC.R-TS.Card Reader.1 Mini PCI	4000
TF-ONYX-173HTT-A2	Smart Medical Station.C-M 1.3GHz.17" 300nits TFT.1P.AC.R-TS.Card Reader.1 Mini PCI	3727
TF-ONYX-173HTT-A3	Smart Medical Station.P-M 1.6GHz.17" 300nits TFT.1P.AC.R-TS.Cool gray 1C enclosure	4000
TF-ONYX-193HT-A1-1010	Smart Medical Station.P-M 1.6GHz.19" 400nits TFT.1P.AC.Card Reader.1 Mini PCI	3909
TF-ONYX-193HT-A2-1010	Smart Medical Station.C-M 1.3GHz.19" 400nits TFT.1P.AC.Card Reader.1 Mini PCI	3636
TF-ONYX-193HT-A3-1010	Smart Medical Station.P-M 1.6GHz.19" 300nits TFT.Cool gray 1C enclosure	3909
TF-ONYX-193HTT-A1-1010	Smart Medical Station.P-M 1.6GHz.19" 400nits TFT.1P.AC.R-TS.Card Reader.1 Mini PCI	4273
TF-ONYX-193HTT-A2-1010	Smart Medical Station.C-M 1.3GHz.19" 400nits TFT.1P.AC.R-TS.Card Reader.1 Mini PCI	3909
TF-ONYX-193HTT-A3-1010	Smart Medical Station.P-M 1.6GHz.19" 300nits TFT.1P.AC.R-TS.Cool gray 1C enclosure	4273
TF-ONYX-154HT-A1-1110	Power Medical Station.P-M 1.6GHz.15".AC.4400mAh battery.Card Reader	3545
TF-ONYX-154HT-A2-1110	Power Medical Station.C-M 1.3GHz.15".AC.4400mAh battery.Card Reader	3273
TF-ONYX-154HTT-A1-1110	Power Medical Station.P-M 1.6GHz.15".AC.R-TS.4400mAh battery.Card Reader	3818
TF-ONYX-154HTT-A2-1110	Power Medical Station.C-M 1.3GHz.15".AC.R-TS.4400mAh battery.Card Reader	3545
TF-ONYX-174HT-A1-1110	Power Medical Station.P-M 1.6GHz.17".AC.4400mAh battery.Card Reader	4000
TF-ONYX-174HT-A2-1110	Power Medical Station.C-M 1.3GHz.17".AC.4400mAh battery.Card Reader	3727
TF-ONYX-174HTT-A1-1110	Power Medical Station.P-M 1.6GHz.17".AC.R-TS.4400mAh battery.Card Reader	4273
TF-ONYX-174HTT-A2-1110	Power Medical Station.C-M 1.3GHz.17".AC.R-TS.4400mAh battery.Card Reader	4000
TF-ONYX-175HT-A1	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.Card Reader	4091
TF-ONYX-175HT-A2	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.Card Reader	3818
TF-ONYX-175HT-A3	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.Cool gray 1C enclosure	4091
TF-ONYX-175HT-F1	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.w/RFID	4236
TF-ONYX-175HT-F2	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.w/RFID	3964
TF-ONYX-175HTT-A1	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.R-TS.Card Reader	4364
TF-ONYX-175HTT-A2	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.R-TS.Card Reader	4091
TF-ONYX-175HTT-A3	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).17".R-TS.Cool gray 1C enclosure	4364
TF-ONYX-175HTT-F1	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.R-TS.w/RFID	4509
TF-ONYX-175HTT-F2	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.R-TS.w/RFID	4236
TF-ONYX-195HT-A1-1010	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).19" 400nits TFT.1P.AC.Card Reader	4364
TF-ONYX-195HT-A2-1010	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).19" 400nits TFT.1P.AC.Card Reader	4091
TF-ONYX-195HT-A3-1010	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).19" 300nits TFT.Cool gray 1C enclosure	4364
TF-ONYX-195HT-F1-1010	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).19" 400nits TFT.1P.AC.w/RFID	4509

TF-ONYX-195HT-F2-1010	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).19" 400nits TFT.1P.AC.w/RFID	4236
TF-ONYX-195HTT-A1-1010	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).19" 400nits TFT.1P.AC.R-TS.Card Reader	4636
TF-ONYX-195HTT-A2-1010	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).19" 400nits TFT.1P.AC.R-TS.Card Reader	4364
TF-ONYX-195HTT-A3-1010	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).19" 300nits TFT.Cool gray 1C enclosure	4636
TF-ONYX-195HTT-F1-1010	Expert Medical Station.Core 2 Duo 2.0GHz(T7200).19" 400nits TFT.1P.AC.R-TS.w/RFID	4782
TF-ONYX-195HTT-F2-1010	Expert Medical Station.Core 2 Duo 1.66GHz(T5500).19" 400nits TFT.1P.AC.R-TS.w/RFID	4509
TF-ONYX-175DTT-F1-1010	Medical PC.C2D 2.0GHz.17.1P.DC15V-24V.R-TS.Card Reader.RFID	4509
TF-ONYX-175DTT-U1-1010	Fanless C2D medical PC.U7500 1.06GHz.17.1P.DC.R-TS.Card Reader	4364
TF-ONYX-175DTT-U2-1010	Fanless C2D medical PC.L7400 1.5GHz.17.1P.DC.R-TS.Card Reader	4455
TF-ONYX-175DT-U1-1010	Fanless C2D medical PC.U7500 1.06GHz.17.1P.DC.Card Reader	4091
TF-ONYX-175DT-U2-1010	Fanless C2D medical PC.L7400 1.5GHz.17.1P.DC.Card Reader	4182
TF-ONYX-195DTT-U1-1010	Fanless C2D medical PC.U7500 1.06GHz.19.1P.DC.R-TS.Card Reader	4636
TF-ONYX-195DTT-U2-1010	Fanless C2D medical PC.L7400 1.5GHz.19.1P.DC.R-TS.Card Reader	4727
TF-ONYX-195DT-U1-1010	Fanless C2D medical PC.U7500 1.06GHz.19.1P.DC.Card Reader	4364
TF-ONYX-195DT-U2-1010	Fanless C2D medical PC.L7400 1.5GHz.19.1P.DC.Card Reader	4455
TF-ONYX-195SDT-U2	Fanless C2D medical system.L7400 1.5GHz.19.2 COM isoaltion.1P.DC 15V-24V.R-TS.Card reader	4818
TF-ONYX-195SD-U2-1010	Fanless MED PC.C2D 1.5GHz.19.1P.DC.1GB RAM.2 ISO COMs	4818
TF-ONYX-175ST-A1-1010	Expert Medical Station.Core 2 Duo 2.0GHz.17".AC.2 Isolated RS232.Card Reader	4182
TF-ONYX-175ST-A2-1010	Expert Medical Station.Core 2 Duo 1.66GHz.17".AC.2 Isolated RS232.Card Reader	3909
TF-ONYX-175STT-A1-1010	Expert Medical Station.Core 2 Duo 2.0GHz.17".AC.R-TS.2 Isolated RS232.Card Reader	4455
TF-ONYX-175STT-A2-1010	Expert Medical Station.Core 2 Duo 1.66GHz.17".AC.R-TS.2 Isolated RS232.Card Reader	4182
TF-ONYX-195ST-A1-1010	Expert Medical Station.Core 2 Duo 2.0GHz.19".AC.2 Isolated.AC.2 Isolated	4455
TF-ONYX-195ST-A2-1010	Expert Medical Station.Core 2 Duo 1.66GHz.19".AC.2 Isolated RS232.Card Reader	4182
TF-ONYX-195STT-A1-1010	Expert Medical Station.Core 2 Duo 2.0GHz.19".AC.R-TS.2 Isolated RS232.Card Reader	4727
TF-ONYX-195STT-A2-1010	Expert Medical Station.Core 2 Duo 1.66GHz.19".AC.R-TS.2 Isolated RS232.Card Reader	4455
TF-ONYX-175XT-A1-1010	eXtreme Graphic Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.Card Reader	4545
TF-ONYX-175XT-A2-1010	eXtreme Graphic Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.Card Reader	4293
TF-ONYX-175XT-F1-1010	eXtreme Graphic Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.w/RFID	4684
TF-ONYX-175XT-F2-1010	eXtreme Graphic Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.w/RFID	4429
TF-ONYX-175XTT-A1-1010	eXtreme Graphic Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.R-TS.Card Reader	4804
TF-ONYX-175XTT-A2-1010	eXtreme Graphic Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.R-TS.Card Reader	4545
TF-ONYX-175XTT-F1-1010	eXtreme Graphic Medical Station.Core 2 Duo 2.0GHz(T7200).17" 300nits TFT.1P.AC.R-TS.w/RFID	4938
TF-ONYX-175XTT-F2-1010	eXtreme Graphic Medical Station.Core 2 Duo 1.66GHz(T5500).17" 300nits TFT.1P.AC.R-TS.w/RFID	4684
TF-ONYX-195XT-A1-1010	eXtreme Graphic Med Station.C2D 2.0G(T7200).19" TFT.1P.AC.MXM.Card Reader	4804
TF-ONYX-195XT-A2-1010	eXtreme Graphic Med Station.C2D 1.66G(T5500).19" TFT.1P.AC.MXM.Card Reader	4545

TF-ONYX-195XT-F1-1010	eXtreme Graphic Med Station.C2D 2.0G(T7200).MXM.Card Reader.RFID	4938
TF-ONYX-195XT-F2-1010	eXtreme Graphic Med Station.C2D 1.66G(T5500).19" TFT.1P.AC.MXM.Card Reader.RFID	4684
TF-ONYX-195XTT-A1-1010	eXtreme Graphic Med Station.C2D 2.0G(T7200).19" TFT.1P.AC.R-TS.MXM.Card Reader	5064
TF-ONYX-195XTT-A2-1010	eXtreme Graphic Med Station.C2D 1.66G(T5500).19" TFT.1P.AC.R-TS.MXM.Card Reader	4804
TF-ONYX-195XTT-F1-1010	eXtreme Graphic Med Station.C2D 2.0G(T7200).19" TFT.1P.AC.R-TS.MXM.Card Reader.RFID	5202
TF-ONYX-195XTT-F2-1010	eXtreme Graphic Med Station.C2D 1.66G(T5500).19" TFT.1P.AC.R-TS.MXM.Card Reader.RFID	4938
TF-ONYX-2122DT-A1-1010	Medical Thin Client.C-M 1.5GHz.19 300nits LCD.Fanless.DC9-30V.1GB RAM	3091
TF-ONYX-2122DTT-A1-1010	Medical Thin Client.C-M 1.5GHz.19 300nits LCD.Fanless.DC9-30V.R-TS.1GB RAM	3273
TF-ONYX-215HT-A1	Smart Medical Diaply.15" 400 nits TFT.AC adapter.DVD-ROM.Smart Card Reader.Card Reader	2091
TF-ONYX-215HT-A2	Smart Medical Diaply.15" 450 nits TFT.AC adapter.DVD-ROM.S-video.Smart Card reader	2200
TF-ONYX-215HTT-A1	Smart Medical Diaply.15" 400 nits TFT.AC adapter.R-TS.DVD-ROM.Smart Card Reader.Card Reader	2364
TF-ONYX-215HTT-A2	Smart Medical Diaply.15" 450 nits TFT.AC adapter.R-TS.DVD-ROM.S-video.Smart Card reader	2473
TF-ONYX-217HT-A1	Smart Medical Diaply.17" 300 nits TFT.AC adapter.DVD-ROM.Smart Card Reader.Card Reader	2273
TF-ONYX-217HT-A2	Smart Medical Diaply.17" 300 nits TFT.AC.DVD-ROM.S-Video.Smart Card Reader.Card Reader	2382
TF-ONYX-217HTT-A1	Smart Medical Diaply.17" 300 nits TFT.AC adapter.R-TS.DVD-ROM.Smart Card Reader.Card Reader	2545
TF-ONYX-217HTT-A2	Smart Medical Diaply.17" 300 nits TFT.AC adapter.R-TS.DVD-ROM.S-video.Smart Card reader	2655
TF-ONYX-219HT-A1-1010	Smart Medical Diaply.19" 400 nits TFT.AC adapter.DVD-ROM.Smart Card Reader.Card Reader	2545
TF-ONYX-219HT-A2-1010	Smart Medical Diaply.19" 400 nits TFT.AC.DVD-ROM.S-Video.Smart Card Reader.Card Reader	2655
TF-ONYX-219HTT-A1-1010	Smart Medical Diaply.19" 400 nits TFT.AC adapter.R-TS.DVD-ROM.Smart Card Reader.Card Reader	2727
TF-ONYX-219HTT-A2-1010	Smart Medical Diaply.19" 300 nits TFT.AC adapter.R-TS.DVD-ROM.S-Video.Smart Card Reader.Card Reader	2836
TF-ONYX-2319-M1	Expert Medical Display.19" 500nits 1.3M pixel.Diagonal Super IPS LCD.Gray Scale Imaging	4000
TF-ONYX-2321-M2	Expert Medical Display.21" 500nits 2M pixel.Diagonal Super IPS LCD.Gray Scale Imaging	5000
TF-ONYX-2321-M3	Expert Medical Display.21" 500nits 3M pixel.Diagonal Super IPS LCD.Gray Scale Imaging	9545
TF-ONYX-2419-M1	Expert Medical Display.19" 1.3M pixel.Super IPS LCD.Adjustable Color Settings	1855
TF-ONYX-2421-M2	Expert Medical Display.21 2M pixel.Super IPS LCD.Adjustable Color Setting	2418
TF-ONYX-6910-A1	Medical Mini PC.Intel Pentium M 1.6GHz CPU.Fanless.1P.DC9-30V.512MB RAM	1673
TF-ONYX-6910-A2	Medical Mini PC.Intel Celeron M 1.3GHz CPU.Fanless.1P.DC9-30V.256MB RAM	1345
TF-ONYX-6910-A3	Medical Mini PC.Intel Pentium M 2.0GHz CPU.Fanless.1P.DC9-30V.512MB RAM	2000
TF-ONYX-6910-B1	Medical Mini PC.Intel Pentium M 1.6GHz CPU.Fanless.2P.DC9-30V.512MB RAM	1764
TF-ONYX-6910-B2	Medical Mini PC.Intel Celeron M 1.3GHz CPU.Fanless.2P.DC9-30V.256MB RAM	1400
TF-ONYX-6910-B3	Medical Mini PC.Intel Pentium M 2.0GHz CPU.Fanless.2P.DC9-30V.512MB RAM	2018
TF-PER-M01	Bluetooth 2.0+EDR USB Module.Compatible with USB V2.0.Full speed.Qcom.QBTM400 (V6)	55
TF-PER-M02	TV tuner card.AV/S-Video input.PCI interface.for capturing analog video.DVB-T 210	73
TF-PER-M04	USB SKYPE PHONE.white color.MOSART.IP9321W	51
TF-PER-M06	WinFast A340 PCI Graphic CARD.nVIDIAs GeForce FX 5200 GPU.128MB.ÄR»O.LR 2968	200

TF-PER-M07	Mini PCI capture card.PROVIDEO.PV-970	107
TF-PER-M08	Handheld Scanner.500 scans per second.ZEBEX.Z-3051HS	247
TF-PER-M09	One slot PCI expansion kit.For ONYX-150	127
TF-PER-M12	Medical Adapter.24V/ 4.100/240V AC.16A.100W.SINPRO.MPU100-108.for ONYX-6910	145
TF-PER-M13	Medical Adapter.100/240V AC.24V. 4.16A.100W.SINPRO.MPU100-108-P19H.for ONYX-1X3DT	145
TF-PER-M14	Medical Adapter.AC.12V. 8.33A.100W.SINPRO.MPU100-105-P19H.FOR ONYX-219	173
TF-PER-M15	Medical Adapter.100/240V AC.12V / 3.75A.50W.SINPRO.MPU50-105.For ONYX-215/217	78
TF-PER-M17	USB Fingerprinter.2GB.	80
TF-PER-M21	Smart Card Reader kit.T067.for ONYX-1X3/1X5/1X4/.170/190 Series	33
TF-PER-M22	8 in 1 Card Reader.T066.for ONYX-1X3/1X5/1X4/.170/190 series	42
TF-PER-M23	Accessory Kit.Mini PCI 10/100.Ethernet Module.W/Realtek 8100C.for ONYX series	45
TF-PER-M24	Accessory Kit.Mini PCI Giga.Ethernet Module.W/Realtek 8110S.for ONYX series	49
TF-PER-M25	Accessory Kit.Mini PCI 10/100.Ethernet Module.W/Intel 82551QM.for ONYX series	55
TF-PER-M26	Accessory Kit.Mini PCI Giga.Ethernet Module.W/Intel 82541GI.for ONYX series	58
TF-PER-M28	Mini PCI capture card.PROVIDEO.PV-970.for ONYX-1X4 150	107
TF-PER-M29	Mini PCI capture card.PROVIDEO.PV-970.for ONYX-1X5 1X5S	107
TF-PER-M31	GSM module.3G.SIEMENS.MC75	236
TF-PER-M35	2S2P Hard Pack.4800mAh.3.7V.TCR-18650J 2.4Ah *4pcs.E-ONE Moli.EME22-AC02	140
TF-PER-M37	Li-ion Battery Pack.7.4V.3900mAh.E-One.EME22-AC01	131
TF-PER-M39	Medical grade power cord.3P.120cm.USA	27
TF-PER-M42	Medical adapter.100/240V.AC.24V.5A.120W.7 Foot cable.PROTEK.PMP120-14-B16 7FT	218
PER-M18	Cool gray 1C STAND-8150.w/VESA 100.For ONYX-150/153/215	182
PER-M19	3 Level Trolley.ValuCam.TR1	491
PER-M20	Desktop Stand w/VESA 75/100.for.ONYX-173/175./193/195/219/217	233
PER-M30	Higher Cool gray 1C STAND-8150.w/VESA 100.	215
1700080304	(TF)LAN Cable.8P RJ45(F).8P 2.0mm Housing.30cm.for AEC-65206510	16
1700090208	(TF)M12 CABLE.12-08AFFM.to 9 PIN(M) D-SUB.20cm.FOR FOX-120/150	49
1700090307	(TF)RS-232 CABLE.9P D-SUB(M).9P Housing 2.0mm.30 cm.for AEC-65206510	16
1700090404	(TF)CABLE.9P D-SUB(M).10P 2.0mm Housing.40 cm.for AEC-6520 6510	16
1700150305	(TF)VGA Cable.DB15(F).15P 2.0mm Housing.30cm.for AEC-6520/6510	13
1702031830	(TF)Power Cable.YP-12 3P.YC-14 3P.183c.for USA	4
1702031831	(TF)Power Cable.YP-22 3P.YC-14 3P.183cm.for European	4
1709080251	(TF)SR Mold USB*2 Cable.Waterproof.25cm.for FOX-120/150	49
1757302400	(TF)Power Adapter.100/240V.24V/1A.24W.Lien Electronics.NLE-0309BDSP24V-AE	44
1757902500	(TF)Adapter.AC to DC.100V-240V.5VDC5A.25W.SINPRO.SPU30-102	65
1757903602	(TF)Power Adapter.12V.36W.FSP.FSP036-1AD101C.for AEC-6510/6520	40
1757905001	(TF) Power Adapter.AC to DC.100~240V AC/DC5V.50W.SINPRO.SPU50-1	109

1757910004	(TF)Adaptor.100/240V AC.24V.4.16A.100W.W/LTW12-03BFFA-SL8001 PLUG.SINPRO.MPU100-108-P66B	145
1757912001	(TF)Power Adapter.19V.6.32A.120W.FSP.FSP120-AAB (A651)	67
9681681000	Cable Kit.for AEC-6810.USB Printrer Port	36
9741641001	(TF)HDD ASS'Y Kit.for AEC-6410	22
9741666643	HDD ASSY Kit.for AEC-68xx Series.1.8GRMS	96
9741666646	(TF)Wireless LAN kit.IEEE 802.11b/g.With internal cable.and antenna.for Gigabte.GN-WIAG02	138
9741681001	(TF)HDD ASSY Kit.for AEC-6810	49
9741681002	(TF)POWER ASSY Kit.for AEC-6810	36
9741681003	Din Rail Assy Kit.for AEC-6810	49
9741681004	FAN Kit.for AEC-6810	69
9741681008	CDR/HDD ASSY Kit.for AEC-6810	182
9741681015	(TF)Swapped Hard Drive Kit.for AEC-6810	187
9741685001	CDR/HDD ASSY Kit.for AEC-6850	171
9741685002	3.5HDD ASSY Kit.for AEC-6850	73
9741685003	2.5HDD ASSY Kit.for AEC-6850	73
9741685010	HDD ASSY Kit.for AEC-6850 Series.1.8GRMS	87
9741686003	(TF)CDR/SATA HDD ASSY Kit.for AEC-6860	195
9741686004	(TF)3.5SATA HDD ASSY Kit.for AEC-6860	87
9741686011	(TF)Dual 2.5 SATA HDD.ASSY Kit.for AEC-6860-A	102
9741691006	CDR ASSY Kit.for AEC-6910	120
9741691007	3.5HDD ASSY Kit.for AEC-6910	91
9741691011	CDR ASSY Kit.for AEC-6910-B	96
9741691012	(TF)I/O Plastic Cover Kit.For AEC-6910	29
9741692003	(TF)Slim CD-ROM. +2.5 SATA HDD Kit.For AEC-6920	98
9741692004	(TF)2.5 IDE*1+SATA*1 HDD Kit.For AEC-6920	96
9741692005	(TF)3.5 IDE HDD Kit.For AEC-6920	96
9741692010	(TF)VGA Alawys on Kit.For AEC-6920	36
9741692011	(TF)PCI Blower Card Kit.For AEC-6920	42
9741692012	(TF)2x6W Stereo Audio.Amplifier Kit For AEC-6920	49
9741692013	(TF)LVDS 26P Cable Kit.For AEC-6920	35
9761812201	(TF)Card Reader kit.for APC-8122 Series	49
9761815206	(TF)Card Reader Kit.for APC-81528172 Series	49
9761F08000	(TF)Wireless LAN kit.EEE 802.11b/g.With internal antenna.for FOX-80 Series	82
9761F15000	(TF)Wireless LAN kit.IEEE 802.11b/g.With internal antenna.for FOX Series	91
9789666605	USB 4Port Serial/.Parallel IO Adapter. #z«°-i\$P.CI-81040	87
9789666606	USB 2Port Serial/.Parallel IO Adapter. #z«°-i\$P.CI-81020	69

TF-AEC-6410-A1-1010	Embedded controller.AMD Geode LX800 500MHz CPU.Fanless.DC 12V.512MB RAM	491
TF-AEC-6420-A1-1010	Emb.Ctrlr.Intel Atom 1.6GHz.Fanless.DC 8.5~19V.512MB RAM.Dual LANLPTVGA.2 COM4 USBVGA	691
TF-AEC-6510-A1-1010	Embedded controller.AMD LX-800 500MHz.Fanless.DC9-30V.2COM.1USB.1LAN.1VGA.W/O cable kit	818
TF-AEC-6520-A1-1110	Embedded controller.C. M 1.0GHz.Fanless.2COM.1USB.1LAN.1VGA.DC9-30V.with cable kit	927
TF-AEC-6520-A2-1110	Embedded controller.C. M 1.0GHz.Fanless.2COM.1USB.1LAN.1VGA.DC9-30V.without cable kit	873
TF-AEC-6710-A1	Embedded control PC.VIA Mark 533MHz.Fanless.DC 12-48V.256MB RAM.2GB CF.IP67	1818
TF-AEC-6710-A2	Embedded control PC.VIA Mark 533MHz.Fanless.DC 12-48V.256MB RAM.1GB CF.IP67	1782
TF-AEC-6710-KIT	Embedded Controller.VIA Mark 533MHz.Fanless.DC 12-48V.256M RAM.2GB CF.IP67, W/ cable kit	2000
TF-AEC-6800-A1	Embedded Controller.AMD GX466 333MHz.Fanless.DC 9-30V	573
TF-AEC-6800-B1	Embedded Controller.AMD GX466 333MHz.Fanless.DC 9-30V.2 CAN ports	982
TF-AEC-6800-B2	Embedded Controller.AMD GX466 333MHz.Fanless.DC 9-30V.2 CAN ports, 1 HDD kit	1000
TF-AEC-6810-A1	Embedded Control PC.VIA Eden 667MHz.Fanless.DC9-30V	573
TF-AEC-6810-A2	Embedded Control PC.VIA C3 1GHz.Fanless.DC9-30V	591
TF-AEC-6811-A1-1010	Emb.Ctrlr.AMD LX800 500MHz.1 Mini PCI.DC 9-30V.512MB RAM.8 DIO.Dual LAN.4 COM.W/SATA	691
TF-AEC-6811-B1-1010	Emb.Ctrlr.AMD LX800 500MHz.1 Mini PCI.DC 9-30V.512MB RAM.8 DIO.Dual LAN.4 COM.W/IDE.CFD	709
TF-AEC-6820B-A1	Embedded Control PC.VIA Eden 667MHz.Fanless.2PCM.DC9-30V	745
TF-AEC-6820B-A2	Embedded Control PC.VIA C3 1GHz.Fanless.2PCM.DC9-30V	764
TF-AEC-6821-A1-1010	Emb.Ctrlr.AMD LX800 500MHz.Fanless.1PCM.DC 9-30V.512MB RAM.4 COM.4 USB.PRT.VGA.W/SATA	782
TF-AEC-6821-B1-1010	Emb.Ctrlr.AMD LX800 500MHz.Fanless.1PCM.DC 9-30V.512MB RAM.4 COM.4 USB.PRT.VGA.W/IDE.CFD	818
TF-AEC-6830-A1	Embedded Control PC.Intel ULV Celeron 650MHz.Fanless.DC9-30V.TV-out	727
TF-AEC-6831-A1-1010	Emb.Ctrlr.Intel Atom 1.6GHz(N270).Fanless.DC 9-30V.AT.2 COM.4 USB.DVI.CFD	727
TF-AEC-6831-A2-1010	Emb.Ctrlr.Intel Atom 1.6GHz(N270).Fanless.DC 9-30V.AT.W/SATA HDD Kit.2 COM.4 USB.DVI.CFD	764
TF-AEC-6831-A3-1010	Emb.Ctrlr.Intel Atom 1.6GHz(N270).Fanless.DC 9-30V.AT.W/IDE HDD Kit.2 COM.4 USB.DVI.CFD	764
TF-AEC-6840-A1	Embedded control PC.Intel ULV Celeron 650MHz CPU.Fanless.DC 9-30V.4 COM.Single LAN	764
TF-AEC-6840-A2	Embedded control PC.ULV Celeron 650MHz.Fanless.DC 9-30V.4 COM, Dual LAN	800
TF-AEC-6840-A3	Embedded control PC.ULV Celeron 650MHz.Fanless.DC 9-30V.4 COM,100M+GbE LAN	818
TF-AEC-6840-A4	Embedded Control PC.Intel ULV Celeron 400MHz.Fanless.DC9-30V.4 COM.Single LAN	709
TF-AEC-6840-A5	Embedded control PC.ULV Celeron 400MHz.Fanless.DC 9-30V.4 COM,Dual LAN	745
TF-AEC-6840-A6	Embedded control PC.ULV Celeron 400MHz.Fanless.DC 9-30V.4 COM,100M+GbE LAN	764
TF-AEC-6845-A1-1010	Embedded controller.Intel ULV Celeron 650MHz.Fanless.DC 9-30V.1 LAN.8 COM.6DIO.3USB	945
TF-AEC-6845-A2-1010	Embedded controller.Intel ULV Celeron 400MHz.Fanless.DC 9-30V.1 LAN.8 COM.6DIO.3USB	909
TF-AEC-6850-A1	Embedded Control PC.Intel Celeron M 1.3GHz.Fanless.AC.CardReader	982
TF-AEC-6850-A2	Embedded Control PC.Intel Celeron M 600MHz.Fanless.AC.CardReader	855
TF-AEC-6850-A3	Embedded Control PC.Intel Celeron M 1.3GHz.Fanless.DC9-30V.CardReader	982
TF-AEC-6850-A4	Embedded Control PC.Intel Celeron M 600MHz.Fanless..DC9-30V.CardReader	855
TF-AEC-6860-A1	Embedded Controller.Core 2 Duo 1.6 GHz.Fanless.DC 9-30V.ATX	1455
TF-AEC-6860-A2	Embedded Controller.Celeron M 1.86 GHz.Fanless.DC 9-30V.ATX	1236

TF-AEC-6860-A3	Embedded Controller.Merom LV 1.5GHz (L7400).Fanless.DC 9-30V.ATX	2109
TF-AEC-6900-A1	Embedded Control PC.Intel ULV Celeron 650MHz.Fanless.1P,2PCM.DC9-30V.256MB RAM	1073
TF-AEC-6900-B1	Embedded Control PC.Intel ULV Celeron 650MHz.Fanless.2P,2PCM.DC9-30V.256MB RAM	1118
TF-AEC-6905-A1-1010	Embedded controller.Celeron M 1.5GHz.Fanless.1P 2 PC104+.DC 9-30V.512MB RAM	1118
TF-AEC-6905-A2-1010	Embedded controller.Celeron M 600MHz.Fanless.1P 2 PC104+.DC 9-30V.512MB RAM	1055
TF-AEC-6910-A1	Embedded control PC.Intel Pentium M 1.6GHz.Fanless.1P.DC 9-30V.512MB RAM	1536
TF-AEC-6910-A2	Embedded control PC.Intel Celeron M 1.3GHz.Fanless.1P.DC 9-30V.256MB RAM	1200
TF-AEC-6910-A4	Embedded control PC.Intel Pentium M 2.0 GHz.Fanless.1P.DC 9-30V.512MB RAM	1964
TF-AEC-6910-A5-1010	Embedded control PC.Intel Pentium M 1.6GHz.Fanless.1P.DC 9-30V.1GB RAM	1591
TF-AEC-6910-A6-1010	Embedded control PC.Intel Celeron M 1.3GHz.Fanless.1P.DC 9-30V.512MB RAM	1218
TF-AEC-6910-B1	Embedded control PC.Intel Pentium M 1.6GHz.Fanless.2P.DC 9-30V.512MB RAM	1573
TF-AEC-6910-B2	Embedded control PC.Intel Celeron M 1.3GHz.Fanless.2P.DC 9-30V.256MB RAM	1245
TF-AEC-6910-B4	Embedded control PC.Intel Pentium M 2.0 GHz.Fanless.2P.DC 9-30V.512MB RAM	2000
TF-AEC-6910-B5-1010	Embedded control PC.Intel Pentium M 2.0 GHz.Fanless.2P.DC 9-30V.1GB RAM	2055
TF-AEC-6910-B6-1010	Embedded control PC.Pentium M 1.6GHz.Fanless.2P.DC 9-30V.1GB RAM	1691
TF-AEC-6911-A1-1010	Embedded Controller.with Atom N270 1.6 GHz.Fanless.2PCI.DC 9-30V.1GB RAM	1073
TF-AEC-6911-A2-1010	Embedded Controller.with Atom N270 1.6 GHz.Fanless.2PCI.DC 9-30V.512MB RAM	1055
TF-AEC-6915-A1-1010	Embedded controller.Pentium M 2.0GHz.Fanless.4PCI.DC 9-30V.512MB RAM	2309
TF-AEC-6915-A2-1010	Embedded controller.Celeron M 1.5GHz.Fanless.4PCI.DC 9-30V.512MB RAM	1582
TF-AEC-6915-B1-1010	Embedded controller.C2D 2.0GHz CPU.Fanless.4 PCI.DC 9-30V.ATX mode.2GB RAM	2618
TF-AEC-6920-A1	Embedded Controller.Core 2 Duo 2.0 GHz.Fanless.1PCIe.1PCI.DC 9-30V.512MB RAM	2045
TF-AEC-6920-A2	Embedded Controller.Core 2 Duo 1.6 GHz.Fanless.1PCIe.1PCI.DC 9-30V.512MB RAM	1845
TF-AEC-6920-A3	Embedded Controller.Celeron M 1.86 GHz.Fanless.1PCIe,1PCI.DC 9-30V.512MB RAM	1655
TF-AEC-6920-A4-1010	Embedded controller.Core 2 Duo 2.0GHz.Fanless.1PCIe.1PCI.DC 9-30V.1GB RAM	2055
TF-AEC-6920-A5-1010	Embedded controller.Core 2 Duo 1.6GHz.Fanless.1PCIe 1PCI.DC 9-30V.1GB RAM	1855
TF-AEC-6920-A6-1010	Embedded Controller.Core 2 Duo 2.0 GHz.Fanless.1PCIe.1PCI.DC 9-30V.2GB RAM	2073
TF-AEC-6920-A7-1010	Embedded Controller.Core 2 Duo 1.6 GHz.Fanless.1PCIe.1PCI.DC 9-30V.2GB RAM	2000
TF-AEC-6920-A9-1010	Embedded Controller.C2D L7400 1.5GHz.Fanless.1PCIe 1PCI.DC 9-30V	2436
TF-AEC-6920-B1-1010	Embedded Controller.Core 2 Duo 2.0 GHz.Fanless.2PCI.DC 9-30V.512MB RAM	2027
TF-AEC-6920-B2-1010	Embedded Controller.Core 2 Duo 1.6 GHz.Fanless.2PCI.DC 9-30V.512MB RAM	1836
TF-AEC-6920-B3-1010	Embedded Controller.Celeron M 1.86 GHz.Fanless.2PCI.DC 9-30V.512MB RAM	1655
TF-AEC-6920-B4-1010	Embedded controller.Core 2 Duo 2.0GHz.Fanless.2PCI.DC 9-30V.1GB RAM	2045
TF-AEC-6920-B5-1010	Embedded controller.Core 2 Duo 1.6GHz.Fanless.2PCI.DC 9-30V.1GB RAM	1855
TF-AEC-6920-B6-1010	Embedded Controller.Core 2 Duo 2.0 GHz.Fanless.2 PCI.DC 9-30V.2GB RAM	2064
TF-AEC-6930-A1-1010	Embedded Controller.C2D 1.60GHz CPU(L7500).Fanless.2 PCI.DC 9-30V.1GB RAM.Quad LAN.DVI	2382
TF-AOP-8060XT-P1-1110	Operator Panel.Intel Celeron M 1.3GHz.6.4"TFT.Fan.DC5V.R-TS.256MB RAM.512MB CFD.WinXPE(EN)	1527

TF-AOP-8060XT-P2-1110	Operator Panel.Celeron M 600MHz.6.4"TFT-LCD.Fanless.DC5V.R-TS.256MB.512MB CFD.WinXPE(EN)	1418
TF-AOP-8070HT-E1	Operator Panel.520MHz.7"TFT 16:9.Fanless.DC 10-24V.R-TS.128RAM.CE5.0(En)	836
TF-AOP-8080XT-A1-1110	Operator Panel.Intel Celeron M 1.3GHz.8.4"TFT.Fan.DC5V.R-TS.512MB RAM	1473
TF-AOP-8080XT-A2-1110	Operator Panel.Intel Celeron M 600MHz.8.4"TFT.Fan.DC5V.R-TS.256MB RAM	1345
TF-AOP-8080XT-P1-1110	Operator Panel.Intel Celeron M 1.3GHz.8.4"TFT.Fan.DC5V.R-TS.512MB RAM.1GB CFD.WinXPE(EN)	1764
TF-AOP-8080XT-P2-1110	Operator Panel.Intel Celeron M 600MHz.8.4"TFT.Fan.DC5V.R-TS.256MB RAM.1GB CFD.WinXPE(EN)	1582
TF-AOP-8120XT-A1-1110	Operator Panel.Pentium-M1.6 GHz.12" TFT.AC.R-TS.512MB RAM	2036
TF-AOP-8120XT-A2-1110	Operator Panel.Celeron-M 1.3 GHz.12" TFT.AC.R-TS.256MB RAM	1818
TF-AOP-8120XT-A3-1110	Fan-less Operator Panel.Celeron-M 600MHz.12" TFT.DC48V.R-TS.256MB RAM	1691
TF-AOP-8120XT-A4-1110	Fan-less Operator Panel.Celeron-M 600MHz.12" TFT.AC.R-TS.256MB RAM	1691
TF-AOP-8120XT-A5-1110	Fan-less Operator Panel.Celeron-M 600MHz.12" TFT.AC.R-TS.256MB RAM and dual LAN	1727
TF-AOP-8150WT-A1-1010	Operator Panel.Pentium M 1.6G.15" TFT.Fan.AC.R-TS.512MB RAM.Card Reader	2455
TF-AOP-8150WT-A2-1010	Operator Panel.Celeron M 1.3GHz.15" TFT.Fan.AC.R-TS.256MB RAM.Card Reader	2182
TF-AOP-8150WT-A3-1110	Fanless Operator Panel.Celeron M 600MHz.15" TFT.DC.RTS.256MB RAM.Card Reader	2000
TF-AOP-8150WT-A4-1110	Fanless Operator Panel.Celeron M 600MHz.15" TFT.AC.RTS.256MB RAM.Card Reader	2036
TF-AOP-8150WT-P3-1110	Fanless Operator Panel.Celeron M 600MHz.15" TFT.DC.RTS.256MB RAM.Card Reader.XPE on 1G CFD	2236
TF-AOP-8150WT-P4-1110	Fanless Operator Panel.Celeron M 600MHz.15" TFT.AC.RTS.256MB RAM.Card Reader.XPE on 1G CFD	2273
TF-APC-8122HT-A1-1110	Robust Panel PC.Pentium 4-D Processor.12.1" TFT.AC	2182
TF-APC-8122HT-A3-1110	Robust Panel PC.Pentium 4-D Processor.12.1" TFT.DC 24V	2291
TF-APC-8122HTT-A1-1110	Robust Panel PC.Pentium 4-D Processor.12.1" TFT.AC.R-TS	2364
TF-APC-8122HTT-A3-1110	Robust Panel PC.Pentium 4-D Processor.12.1" TFT.DC 24V.R-TS	2473
TF-APC-8152HT-A1-1110	Robust Panel PC.Pentium 4-D Processor.15" TFT.AC	2145
TF-APC-8152HT-A2-1110	Robust Panel PC.Pentium 4-D Processor.15" TFT.DC24V	2255
TF-APC-8152HTT-A1-1110	Robust Panel PC.Pentium 4-D Processor.15" TFT.AC.R-TS	2327
TF-APC-8152HTT-A2-1110	Robust Panel PC.Pentium 4-D Processor.15" TFT.DC24V.R-TS	2436
TF-APC-8172HT-A1-1111	Robust Panel PC.Pentium 4 processor.17" TFT.AC	2164
TF-APC-8172HT-A2-1111	Robust Panel PC.Pentium 4 Processor.17" TFT.DC24V	2273
TF-APC-8172HTT-A1-1111	Robust Panel PC.Pentium 4 Processor.17" TFT.AC.R-TS	2345
TF-APC-8172HTT-A2-1111	Robust Panel PC.Pentium 4 Processor.17" TFT.DC24V.R-TS	2455
TF-APC-9172HT-A1-1010	Robust Panel PC.Core 2 Duo processor.17" TFT.2 free expansion.AC power supply	2491
TF-APC-9172HTT-A1-1010	Robust Panel PC.Core 2 Duo processor.17" TFT.2 free expansion.AC power supply.R-TS	2673
TF-FOX-120HTT-A1-1110	MPWP Panel PC.Intel C-M 1.5G.with 12" LCD.Touch Screen.512MB RAM.Ethernet10/100Base-T	2773
TF-FOX-120HTT-A2-1110	MPWP Panel PC.Intel C-M 600MB.with 12" LCD.Touch Screen.256MB RAM.Ethernet10/100Base-T	2591
TF-FOX-120HTT-B1-1110	MPWP Panel PC.Intel C-M 1.5G.with 12" LCD.Touch Screen.512MB RAM.Audio I/O	2773
TF-FOX-120HTT-B2-1110	MPWP Panel PC.Intel C-M 600MB.with 12" LCD.Touch Screen.256MB RAM.Audio I/O	2591
TF-FOX-120ST-A1-1110	MPWP Panel PC.Intel C-M 1.5G.with 12" LCD.512MB RAM.Ethernet10/100Base-T	2636

TF-FOX-120ST-A2-1110	MPWP Panel PC.Intel C-M 600MB.with 12" LCD.256MB RAM.Ethernet10/100Base-T	2455
TF-FOX-120ST-B1-1110	MPWP Panel PC.Intel C-M 1.5G.with 12" LCD.512MB RAM,Audio I/O	2636
TF-FOX-120ST-B2-1110	MPWP Panel PC.Intel C-M 600MB.with 12" LCD.256MB RAM,Audio I/O	2455
TF-FOX-120STT-A1-1110	MPWP Panel PC.Intel C-M 1.5G.with 12" LCD.L/R Touch Screen.512MB RAM.Ethernet10/100Base-T	2909
TF-FOX-120STT-A2-1110	MPWP Panel PC.Intel C-M 600MB.with 12" LCD.L/R Touch Screen.256MB RAM.Ethernet10/100Base-T	2727
TF-FOX-120STT-B1-1110	MPWP Panel PC.Intel C-M 1.5G.with 12" LCD.L/R Touch Screen.512MB RAM.Audio I/O	2909
TF-FOX-120STT-B2-1110	MPWP Panel PC.Intel C-M 600MB.with 12" LCD.L/R Touch Screen.256MB RAM.Audio I/O	2727
TF-FOX-122HTT-A1-1010	MPWP Panel PC with 12 LCD.Intel Core 2 Duo 1.06GHz.Touch Screen.1GB RAM.Giga LAN	3318
TF-FOX-122HTT-B1-1010	MPWP Panel PC with 12 LCD.Intel Core 2 Duo 1.06GHz.Touch Screen.1GB RAM.Audio I/O	3318
TF-FOX-122ST-A1-1010	MPWP Panel PC with 12 LCD.Intel Core 2 Duo 1.06GHz.1GB RAM.Giga LAN	3182
TF-FOX-122ST-B1-1010	MPWP Panel PC with 12 LCD.Intel Core 2 Duo 1.06GHz.1GB RAM.Audio I/O	3182
TF-FOX-122STT-A1-1010	MPWP Panel PC with 12 LCD.Intel Core 2 Duo 1.06GHz.L/R Touch Screen.1GB RAM.Giga LAN	3455
TF-FOX-122STT-B1-1010	MPWP Panel PC with 12 LCD.Intel Core 2 Duo 1.06GHz.L/R Touch Screen.1GB RAM.Audio I/O	3455
TF-FOX-150HTT-A1-1110	Intel C-M 1.5G MPWP Panel PC.with 15" LCD.Touch Screen.512MB RAM.Ethernet10/100Base-T	3045
TF-FOX-150HTT-A2-1110	Intel C-M 600MB.MPWP Panel PC.with 15" LCD.Touch Screen.256MB RAM.Ethernet10/100Base-T	2864
TF-FOX-150HTT-B1-1110	Intel C-M 1.5G MPWP Panel PC.with 15" LCD.Touch Screen.512MB RAM.Audio I/O	3045
TF-FOX-150HTT-B2-1110	Intel C-M 600MB.MPWP Panel PC.with 15" LCD.Touch Screen.256MB RAM.Audio I/O	2864
TF-FOX-150ST-A1-1110	Intel C-M 1.5G MPWP Panel PC.with 15" LCD.512MB RAM.Ethernet10/100Base-T	2909
TF-FOX-150ST-A2-1110	Intel C-M 600MB.MPWP Panel PC.with 15" LCD.256MB RAM.Ethernet10/100Base-T	2727
TF-FOX-150ST-B1-1110	Intel C-M 1.5G MPWP Panel PC.with 15" LCD.512MB RAM, Audio I/O	2909
TF-FOX-150ST-B2-1110	Intel C-M 600MB.MPWP Panel PC.with 15" LCD.512MB RAM, Audio I/O	2727
TF-FOX-150STT-A1-1110	Intel C-M 1.5G MPWP Panel PC.with 15" LCD.L/R Touch.512MB RAM.Ethernet10/100Base-T	3182
TF-FOX-150STT-A2-1110	Intel C-M 600MB.MPWP Panel PC.with 15" LCD.L/R Touch.256MB RAM.Ethernet10/100Base-T	3000
TF-FOX-150STT-B1-1110	Intel C-M 1.5G MPWP Panel PC.with 15" LCD.L/R Touch.512MB RAM.Audio I/O	3182
TF-FOX-150STT-B2-1110	Intel C-M 600MB.MPWP Panel PC.with 15" LCD.L/R Touch.256MB RAM.Audio I/O	3000
TF-FOX-151HTT-A1-1010	MPWP Panel PC with 15 LCD.Bonding.Atom N270 1.6GHz.512MB RAM.Giga LAN.Touch Screen	3182
TF-FOX-151HTT-B1-1010	MPWP Panel PC with 15 LCD.Bonding.Atom N270 1.6GHz.512MB RAM.Audio I/O.Touch Screen	3182
TF-FOX-151ST-A1-1010	MPWP Panel PC with 15 LCD.Bonding.Atom N270 1.6GHz.512MB RAM.Giga LAN	3055
TF-FOX-151ST-B1-1010	MPWP Panel PC with 15 LCD.Bonding.Atom N270 1.6GHz.512MB RAM.Audio I/O	3055
TF-FOX-151STT-A1-1010	MPWP Panel PC with 15 LCD.Bonding.Atom N270 1.6GHz.512MB RAM.Giga LAN.L/R Touch Screen	3327
TF-FOX-151STT-B1-1010	MPWP Panel PC with 15 LCD.Bonding.Atom N270 1.6GHz.512MB RAM.Audio I/O.L/R Touch Screen	3327
TF-FOX-80HTT-A1-1210	Intel ULV C-M.1.0GHz MPWP PPC.W/ 8.4" LCD.512MB RAM.LCD.Touch Panel XPE on 2G CFD	2636
TF-FOX-80HTT-B1-1210	Intel ULV C-M.1.0GHz MPWP PPC.W/ 8.4" LCD.512MB RAM.Audio.Touch Panel XPE on 2 G CFD	2636
TF-FOX-80ST-A1-1210	Intel ULV C-M.1.0GHz MPWP PPC.W/ 8.4" LCD.512MB RAM.LAN XPE on 2G CFD	2545
TF-FOX-80ST-B1-1210	Intel ULV C-M.1.0GHz MPWP PPC.W/ 8.4" LCD.512MB RAM.Audio I/O XPE on 2 G CFD	2545
TF-FOX-80STT-A1-1210	Intel ULV C-M.1.0GHz MPWP PPC.W/ 8.4" LCD.512MB RAM.LAN.L/R Touch Panel..XPE 2G CFD	2909

TF-FOX-80STT-B1-1210	Intel ULV C-M.1.0GHz MPWP PPC.W/ 8.4" LCD 512MB RAM.Audio.L/R Touch Panel.XPE 2G CFD	2909
TF-FOX-81HTT-A1-1010	Intel Atom N270 1.6GHz MPWP PPC.W/ 8.4"LCD Bonding.Touch screen.512MB RAM.Giga LAN.XPE.2GB SATA DOM	2727
TF-FOX-81HTT-B1-1010	Intel Atom N270 1.6GHz MPWP PPC.W/ 8.4" LCD Bonding.Touch Screen.512MB RAM.Audio I/O	2727
TF-FOX-81ST-A1-1010	Intel Atom N270 1.6GHz MPWP PPC.W/ 8.4" LCD Bonding.Glass.512MB RAM.Giga LAN	2636
TF-FOX-81ST-B1-1010	Intel Atom N270 1.6GHz MPWP PPC.W/ 8.4" LCD Bonding.Glass.512MB RAM.Audio I/O	2636
TF-FOX-81STT-A1-1010	Intel Atom N270 1.6GHz MPWP PPC.W/ 8.4" LCD Bonding.L/R Touch screen.512MB RAM.Giga LAN	3000
TF-FOX-81STT-B1-1010	Intel Atom N270 1.6GHz MPWP PPC.W/ 8.4" LCD Bonding.L/R Touch screen.512MB RAM.Audio I/O	3000
TF-OPD-212AB-F1-1010	Industrial Panel.12" 150nits.DVIVGA.SVideoRS-232 for TS.DC 12V.Standard Bazel	1124
TF-OPD-212ABT-F1-1010	Industrial Panel.12" 150nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.Standard Bazel	1222
TF-OPD-212A-F1-1010	Industrial Panel.12" 150nits.DVIVGA.SVideoRS-232 for TS.DC 12V.open frame	1044
TF-OPD-212AR-F1-1010	Industrial Panel.12" 150nits.DVIVGA.SVideoRS-232 for TS.DC 12V.Rack Bazel	1229
TF-OPD-212ART-F1-1010	Industrial Panel.12" 150nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.Rack Bazel	1329
TF-OPD-212AT-F1-1010	Industrial Panel.12" 150nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.open frame	1147
TF-OPD-215AB-G1-1010	Industrial Panel.15" 250nits.DVIVGA.SVideoRS-232 for TS.DC 12V.Standard Bazel	1315
TF-OPD-215ABT-G1-1010	Industrial Panel.15" 250nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.Standard Bazel	1398
TF-OPD-215A-G1-1010	Industrial Panel.15" 250nits.DVIVGA.SVideoRS-232 for TS.DC 12V.open frame	1145
TF-OPD-215AR-G1-1010	Industrial Panel.15" 250nits.DVIVGA.VideoRS-232 for TS.DC 12V.Rack Bazel	1411
TF-OPD-215ART-G1-1010	Industrial Panel.15" 250nits.DVIVGASVideo.RS-232 for TS.DC 12V.R-TS.Rack Bazel	1480
TF-OPD-215AT-G1-1010	Industrial Panel.15" 250nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.open frame	1295
TF-OPD-215EB-A1-1010	Industrial Panel.15 200nits.DVI,VGA.DC 12V.with Bazel	920
TF-OPD-215EBT-A1-1010	Industrial Panel.15 200nits.VI,VGA,RS-232 for touch.R-TS.with Bazel	1045
TF-OPD-217AB-G1-1010	Industrial Panel.17" 300nits.DVIVGA.SVideoRS-232 for TS.DC 12V.Standard Bazel	1389
TF-OPD-217ABT-G1-1010	Industrial Panel.17" 300nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.Standard Bazel	1475
TF-OPD-217A-G1-1010	Industrial Panel.17" 300nits.DVIVGA.SVideoRS-232 for TS.DC 12V.open frame	1260
TF-OPD-217AR-G1-1010	Industrial Panel.17" 300nits.DVIVGA.SVideoRS-232 for TS.DC 12V.Rack Bazel	1440
TF-OPD-217ART-G1-1010	Industrial Panel.17" 300nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.Rack Bazel	1567
TF-OPD-217AT-G1-1010	Industrial Panel.17" 300nits.DVIVGA.SVideoRS-232 for TS.DC 12V.R-TS.open frame	1333
TF-POP-100-HT-G3-0001-1210	Point of Promotion Panel PC.with Intel Celeron M1.5GHz.10.2" LCD.512MB RAM	1218
TF-POP-100-HT-G3-0002-1210	Fan-less Point of Promotion.Panel PC w/ Intel C-M 600MHz.10.2" LCD.512 MB RAM	1127
TF-POP-100-HT-G3-0001-1010	Point of Promotion Panel PC.Intel ATOM 1.6GHz.with 10.2LCD.512MB RAM	1218
TF-POP-100-HTT-G3-0001-1210	Point of Promotion Panel PC.with Intel Celeron M 1.5GHz.10.2" LCD.Touch screen.512MB	1309
TF-POP-100-HTT-G3-0002-1210	Fan-less Point of Promotion.Panel PC w/Intel C-M 600MHz.10.2" LCD.Touch screen	1218
TF-POP-100-HTT-G3-0001-1010	Point of Promotion Panel PC.Intel ATOM 1.6GHz.512MB RAM,Touch screen	1309
TF-POP-70-HT-G3-0001-1210	Point of Promotion Panel PC.with Intel Celeron M1.5GHz.7" LCD.512MB RAM	1073
TF-POP-70-HT-G3-0002-1210	Fan-less Point of Promotion.Panel PC w/Intel C-M 600MHz.7"LCD.512 MB RAM	964

TF-POP-70-HTT-G3-0001-1210	Point of Promotion Panel PC.with Intel Celeron M 1.5GHz.7"LCD.Touch screen.512MB RAM	1127
TF-POP-70-HTT-G3-0002-1210	Fan-less Point of Promotion.Panel PC w/ Intel C-M 600MHz.7" LCD.Touch screen.512MB RAM	1036
TF-POP-150-HT-G3-0001-1210	Point of Promotion Panel PC.Intel Celeron M1.5GHz.with 15LCD.512MB RAM	1545
TF-POP-150-HT-G3-0002-1210	Point of Promotion Panel PC.Intel Celeron M 600MHz.with 15LCD.Fan-less.512 MB RAM	1455
TF-POP-150-HT-G3-0001-1010	Point of Promotion Panel PC.Intel ATOM 1.6GHz.with 15LCD.512MB RAM	1545
TF-POP-150-HTT-G3-0001-1210	Point of Promotion Panel PC.Intel Celeron M 1.5GHz.with 15LCD. T/P.512MB RAM	1636
TF-POP-150-HTT-G3-0002-1210	Point of Promotion Panel PC.Intel Celeron M 600MHz.with 15LCD.Fan-less. T/P.512MB RAM	1545
TF-POP-150-HTT-G3-0001-1010	Point of Promotion Panel PC.Intel ATOM 1.6GHz.with 15 LCD.512MB RAM and Touch screen	1636
TF-POP-190-HT-G3-0001-1210	Point of Promotion Panel PC.with Intel Celeron M1.5GHz.19" LCD.512MB RAM	1727
TF-POP-190-HT-G3-0002-1210	Fan-less Point.of Promotion Panel PC.with Intel Celeron M 600MHz.19" LCD 512 MB RAM	1636
TF-POP-190-HTT-G3-0001-1210	Point of Promotion Panel PC.with Intel Celeron M 1.5GHz.19" LCD.512MB RAM.Touch screen	1909
TF-POP-190-HTT-G3-0002-1210	Fan-less POP Panel PC.with Intel Celeron M 600MHz.19" LCD 512MB RAM. Touch screen	1818
AS-25	Anti-Vibration Disk Driver Bay.support 2. 5HDD.into 3.25 Housing	36
AS-36	Disk Driver Bay support Slim CD-ROM(24X),Slim FDD 2.5HDD	424
EXP-8150P1-01	One-PCI expansion kit.for AOP-8150	109
1700090208	(TF)M12 CABLE.12-08AFFM.to 9 PIN(M) D-SUB.20cm.FOR FOX-120/150	49
1709080251	(TF)SR Mold USB*2 Cable.Waterproof.25cm.for FOX-120/150	49
1702031830	(TF)Power Cable.YP-12 3P.YC-14 3P.183c.for USA	4
1702031831	Power Cable.YP-22 3P.YC-14 3P.183cm.for European	4
1759200155	(TF)CPU Cooler Fan + Heat Sink.Socket 478.3P.12V.for P4 over 3.06Ghz.	16
9761812201	(TF)Card Reader kit.for APC-8122 Series	49
9761815202	Accessory Kit.Mini PCI 10/100.Ethernet Module.W/Realtek 8100C.for APC-8152 8172	45
9761815203	Accessory Kit Mini PCI Giga.Ethernet Module.W/Realtek 8110S.for APC-8152 8172	64
M990FOX001	(TF)Metal.M12 Waterproof Cap.Assy Screw 3Pin F Conn.to F Pin.for FOX SERIAL.LTW.LTW12-03BFFA-SL8001	31
P990FOX001	(TF) Plastic.Waterproof Cap.13/16 RJ45 ASS'Y TYPE.for FOX SERIAL.LTW.LTWRJ-00BMMA-SL7006	31
AKB-106	20 keys function keyboard	236
ARM-DR075-0	DIN Rail Kit with VESA 75mm standards	73
ARM-LA0115	Swivel arm with VESA 75/100mm Standards weight capacity : 8~15 kgs	222
ARM-WK075-0	Wall Mount Kit for VESA 75/100mm standard screw holes	60